



DuraVision™ Convex Mirror Product Sheet:



Indoor Standard

This very versatile mirror will adjust to any angle to allow optimal line of sight. The Indoor Standard Acrylic mirror can be positioned to view machinery or to see around corners and partitions in corridors and hallways. It is also ideal in warehouses, hospitals or any other interior situation where blind spots are present.

Features

- 2mm or 3mm acrylic mirror face
- Pure reflective coating
- *ACM or vinyl back
- Vinyl extrusion
- Includes J-Bracket to fix to wall or ceiling (wall mounting screws not included)

Suitable Uses


- Retail and store security
- Office security
- Light industrial safety
- Hospitals and schools
- Visitor detection
- Other indoor observation uses

Specifications

Code	Size	View Distance	Mirror Face	Mirror Back*	Bracket Length
18020J	300mm	Up to 5m	2mm Acrylic	4mm ACM	250mm
18038J	450mm	Up to 7m	2mm Acrylic	4mm ACM	250mm
18056J	600mm	Up to 10m	2mm Acrylic	4mm ACM	360mm
18072J	760mm	Up to 13m	2mm Acrylic	4mm ACM	360mm
18108J	900mm	Up to 18m	2mm Acrylic	10mm Vinyl	435mm
18112J	1200mm	Over 18m	3mm Acrylic	10mm Vinyl	435mm

*ACM Back - Aluminium Composite Material

Positioning



Situation Images:



▶ Retail Security



▶ Light Industrial Safety



▶ Sheltered Carparks

DuraVision™ Mirror Systems

Find our more about the great range of DuraVision Mirror Systems at our website...



www.duravision.net